



Secutex S2

Cut-resistant full coated flat sling, Nearly indestructible! Coated with secutex on both sides

Label	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
PB 1000-S2 2m	Purple	1	2	1000	30	0.9	0.9	0.8
PB 1000-S2 3m	Purple	1	3	1000	30	1.3	0.9	0.8
PB 1000-S2 4m	Purple	1	4	1000	30	1.7	0.9	0.8
PB 1000-S2 5m	Purple	1	5	1000	30	2.1	0.9	0.8
PB 1000-S2 6m	Purple	1	6	1000	30	2.5	0.9	0.8
PB 2000-S2 2m	Green	1	2	2000	60	2	1.4	1.4
PB 2000-S2 3m	Green	1	3	2000	60	2.8	1.4	1.4
PB 2000-S2 4m	Green	1	4	2000	60	3.6	1.4	1.4
PB 2000-S2 5m	Green	1	5	2000	60	4.4	1.4	1.4
PB 2000-S2 6m	Green	1	6	2000	60	5.2	1.4	1.4
PB 2000-S2 8m	Green	1	8	2000	60	6.8	1.4	1.4
PB 3000-S2 2m	Yellow	1.3	2	3000	90	2.9	2.1	2
PB 3000-S2 3m	Yellow	1.3	3	3000	90	4.2	2.1	2
PB 3000-S2 4m	Yellow	1.3	4	3000	90	5.5	2.1	2
PB 3000-S2 5m	Yellow	1.3	5	3000	90	6.8	2.1	2
PB 3000-S2 6m	Yellow	1.3	6	3000	90	8.1	2.1	2
PB 3000-S2 7m	Yellow	1.3	7	3000	90	9.4	2.1	2
PB 4000-S2 2m	Grey	1.3	2	4000	120	4	2.9	2.7
PB 4000-S2 3m	Grey	1.3	3	4000	120	5.8	2.9	2.7
PB 4000-S2 4m	Grey	1.3	4	4000	120	7.6	2.9	2.7



Secutex S2

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Label	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
PB 4000-S2 5m	Grey	1.3	5	4000	120	9.4	2.9	2.7
PB 4000-S2 6m	Grey	1.3	6	4000	120	11.2	2.9	2.7
PB 5000-S2 2m	Red	1.5	2	5000	150	5	3.7	3.4
PB 5000-S2 3m	Red	1.5	3	5000	150	7.2	3.7	3.4
PB 5000-S2 4m	Red	1.5	4	5000	150	9.4	3.7	3.4
PB 5000-S2 5m	Red	1.5	5	5000	150	11.6	3.7	3.4
PB 5000-S2 6m	Red	1.5	6	5000	150	13.8	3.7	3.4
PB 5000-S2 8m	Red	1.5	8	5000	150	27.5	3.7	3.4
PB 6000-S2 2m	Brown	1.9	2	6000	180	6	4.4	3.8
PB 6000-S2 3m	Brown	1.9	3	6000	180	8.7	4.4	3.8
PB 6000-S2 4m	Brown	1.9	4	6000	180	11.4	4.4	3.8
PB 6000-S2 5m	Brown	1.9	5	6000	180	14.1	4.4	3.8
PB 6000-S2 6m	Brown	1.9	6	6000	180	16.8	4.4	3.8
PB 6000-S2 8m	Brown	1.9	8	6000	180	31	4.4	3.8
PB 8000-S2 3m	Blue	2.2	3	8000	250	12.8	4.6	4.1
PB 8000-S2 4m	Blue	2.2	4	8000	250	16.9	4.6	4.1
PB 8000-S2 5m	Blue	2.2	5	8000	250	21	4.6	4.1
PB 8000-S2 6m	Blue	2.2	6	8000	250	25.1	4.6	4.1
PB 8000-S2 8m	Blue	2.2	8	8000	250	33.3	4.6	4.1

ORDER NUMBERS

SpanSet (UK) Limited
Telford Way Middlewich
Cheshire CW10 0HX
United Kingdom
Tel.: +44 (0) 1606
737494
info@spanset.co.uk
www.spanset.co.uk



Secutex S2

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

SpanSet
Certified
Safety

WLL kg	2 m	3 m	4 m	5 m	6 m	7 m	8 m
1000	2015425	2015426	2015427	2015428	2015429	-	-
2000	2015430	2015431	2015432	2015433	2015434	-	2015435
3000	2015436	2015437	2015438	2015439	2015440	2015441	-
4000	2015442	2015443	2015444	2015445	2015446	-	-
5000	2015447	2015448	2015449	2015450	2015451	-	2018503
6000	2015452	2015453	2015454	2015455	2017065	-	2018504
8000	-	2018505	2018506	2018507	2018508	-	2018509
10000	-	-	-	-	-	-	-

■ Norms	EN 1492-1: 2000
■ Belt Layers	2
■ Main Material	Polyester
■ Temperature Range	-40°C bis +100°C
■ Safety Factor	7:1
■ Label Protection	Yes
■ Packaging Unit (PU)	pcs
■ Packaging Unit (PU) Content	1



Secutex S2

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom