



SpanSet Australia Ltd

150 Old Bathurst Road
Emu Plains
NSW 2750
Australia

Telephone

+61 2 4735 3955

Fax

+61 2 4735 3630

E-mail

sales@spanset.com.au

Internet

www.spanset.com.au

Metal Attachment Hardware

Snap Hooks

H1



H1BH



H1HD



H1Alu



H3HD



H1-ALU-TA-0



Metal Attachment Hardware

Scaffold Hooks

H3




H3BF



H3WBF



H3Alu



H3L



H3-ALU-TA-0



Metal Attachment Hardware

Karabiners

K1



K4Alu



K10



K2



K6



K10Alu



K4



K9



Metal Attachment Hardware

Quick Links

DELTA8



DELTA10



Wire Anchor Clamp

RF17



Code	Description	Gate Type	Gate Opening (mm)	Strength (kN)	Weight (g)	Material	Standard
Snap Hooks							
H1	Safety Snap Hook	Double Action	24	25	305	Steel	AUS/NZ
H1Alu	Safety Snap Hook	Double Action	23	25	190	Steel	AUS/NZ
H1BH	Back Hook	Double Action	20	23	465	Aluminium	ANSI
H1HD	Safety Snap Hook	Double Action	26	25	330	Steel	ANSI
H1-ALU-TA-0	Safety Snap Hook	Triple Action	22	27	108		AUS/NZ

Scaffold Hooks

H3HD	Heavy Duty Scaffold Hook	Double Action	65	23	715	Steel	ANSI
H3	Safety Scaffold Karabiner	Double Action	51	25	415	Alloy Steel	AUS/NZ
H3Alu	Safety Scaffold Hook	Screw Gate	60	25	459	Aluminium	AUS/NZ
H3BF	Safety Jumbo Scaffold Hook	Double Action	110	25	915	Aluminium	AUS/NZ
H3L	Safety Scaffold Karabiner	Double Action	64	25	603	Alloy Steel	AUS/NZ
H3WBF	Safety Wire Scaffold Hook	Double Action	86	20	488	Aluminium	AUS/NZ
H3-ALU-TA-0	Safety Scaffold Hook	Triple Action	60	23	480	Aluminium	AUS/NZ

Karabiners

K1	D Karabiner	Screw Gate	27	50	190	Alloy Steel	AUS/NZ
K2	Oval Karabiner	Screw Gate	15	23	157	Alloy Steel	AUS/NZ
K4	Equal Karabiner	Triple Action	24	30	183	Alloy Steel	ANSI
K4Alu	D Karabiner		28	25	100	Aluminium	AUS/NZ
K6	D Karabiner	Screw Gate	26	22	85	Aluminium	AUS/NZ
K9	Scaffold Karabiner	Triple Action	52	25	634	Alloy Steel	AUS/NZ
K10	Forged Eye Karabiner	Triple Action	20	50	257	Alloy Steel	AUS/NZ
K10Alu	Fixed Eye Karabiner	Triple Action	20	25	120	Aluminium	AUS/NZ

Quick Links

DELTA 8	Delta Quick Link	Screw Gate	14	40	86	Carbon Steel	AUS/NZ
DELTA 10	Delta Quick Link	Screw Gate	16	60	152	Carbon Steel	AUS/NZ

Wire Rope Clamp

RF17	Wire Anchor Clamp	Double Action	127	23	366	Stainless Steel	AUS/NZ
------	-------------------	---------------	-----	----	-----	-----------------	--------

Standard

AUS/NZ Gate strength rating: 1kN

ANSI Gate strength rating: 16kN

Training Courses

Height Safety

Working Safely at Height
Working Safely at Heights Refresher
Height Safety Supervisor*
Height Safety Manager*

Rescue

Rescue Systems Operator*
Vertical Rescue*
Tower and Pole Rescue*
Wind Access Rescue Technician*
EWP Emergency Escape
Gotcha Rescue

Confined Space

Confined Space*
Confined Space - Refresher*
Breathing Apparatus*
Confined Space Non-Entry Rescue*

Inspection

Competent Person Practical
Inspection and Record Keeping*



SpanSet Accreditations

ISO 9001:2008 Certified Quality Management System

ISO 14001:2004 Certified Environment Management System

OHSAS 18001:2007 Certified Occupational Health and Safety Management Systems

Australian/New Zealand Standard 4801:2001 certified Occupational Health and Safety Management Systems

5 Tick Certified Product

Accredited Laboratory Tested by NATA to ISO/IEC 17025

ASQA Registered Training Organisation certified to ISO 9001:2008

Certified manufacturer to AS/NZS 1891.1
"Industrial Fall Arrest Systems and Devices"

Certified manufacturer to AS/NZS 1353.1
"Flat Synthetic Webbing Slings"

Certified manufacturer to AS/NZS 4497.1
"Round Slings—Synthetic Fibre"

www.spanset.com.au

