



Adjustable Length Rope Lanyard

Adjustable Length Rope Lanyards suitable for work restraint applications.

EAN Code	Item Name short	Anchor Connector	Dimension L [m]	Harness Connector	Weight Net [kg]
5056390703323	WRI 1.5m 1OK1	1OK1	1.5	1OK1	-
5056390703330	WRI 2m 1OK1	1OK1	2	1OK1	-
5056390703347	WRI 1.5m 1OM1 1CK2	1CK2	1.5	1OM1	0.6
5056390703354	WRI 2m 1OM1 1CK2	1CK2	2	1OM1	-
5056390703361	WRI 1.5m 1OM1 1RH2	1RH2	1.5	1OM1	-
5056390703378	WRI 2m 1OM1 1RH2	1RH2	2	1OM1	-
5056390703385	WRI 1.5m 1CK2	1CK2	1.5	1CK2	-
5056390703392	WRI 2m 1CK2	1CK2	2	1CK2	-
5056390703408	WRI 1.5m 1CK2 1RH2	1RH2	1.5	1CK2	-
5056390703415	WRI 2m 1CK2 1RH2	1RH2	2	1CK2	-
5056390703774	Foot Loop Lanyard	Loop Termination Only	1.75	Loop Termination Only	-



WRI - Adjustable Length Rope Lanyards

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom




WRI - Adjustable Length Rope Lanyards

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom



WRI - Adjustable Length Rope Lanyards

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom



WRI - Adjustable Length Rope Lanyards

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

ORDER NUMBERS

Harness Connector	Dimension L	Loop Termination Only	1OK1	1CK2	1RH2
Loop Termination Only	1.75	2018429	-	-	-
1OM1	1.5	-	-	2002255	2004176
1OK1	1.5	-	2012576	-	-
1OM1	2	-	-	2003198	2003692
1OK1	2	-	2012902	-	-
1CK2	1.5	-	-	2004177	2004178
1CK2	2	-	-	2003693	2004174

■ Norms	EN 358: 2018
■ Colour	Black
■ Main Material	Polyamide
■ Fall Equipment Type	Work Restraint
■ Energy Absorbing	No
■ Quality	Standard
■ Label Protection	Yes



WRI - Adjustable Length Rope Lanyards

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom