



MagnumPlus

Reliable support, optimal handling and high resistance to wear round sling for heavy loads

Item Name short	Contact Thickness Under Load [mm]	Contact Width Under Load [mm]	Dimension L1 max [m]	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	WLL t [t]
MagnumPlus 125000 10,0m	-	-	-	-	10	125000	125
MagnumPlus 125000 15m	-	-	-	-	15	125000	125
MagnumPlus 10000 2m	12	93	30	1	2	10000	10
MagnumPlus 10000 2.5m	12	93	30	1	2.5	10000	10
MagnumPlus 10000 3m	12	93	30	1	3	10000	10
MagnumPlus 10000 4m	12	93	30	1	4	10000	10
MagnumPlus 10000 5m	12	93	30	1	5	10000	10
MagnumPlus 10000 6m	12	93	30	1	6	10000	10
MagnumPlus 10000 7m	12	93	30	1	7	10000	10
MagnumPlus 10000 8m	12	93	30	1	8	10000	10
MagnumPlus 15000 2m	16	120	30	1	2	15000	15
MagnumPlus 15000 2.5m	16	120	30	1	2.5	15000	15
MagnumPlus 15000 3m	16	120	30	1	3	15000	15
MagnumPlus 15000 4m	16	120	30	1	4	15000	15
MagnumPlus 15000 5m	16	120	30	1	5	15000	15
MagnumPlus 15000 6m	16	120	30	1	6	15000	15
MagnumPlus 15000 7,0m	16	120	30	1	7	15000	15
MagnumPlus 15000 8m	16	120	30	1	8	15000	15
MagnumPlus 20000 2m	18	140	30	1.3	2	20000	20



MagnumPlus

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Item Name short	Contact Thickness Under Load [mm]	Contact Width Under Load [mm]	Dimension L1 max [m]	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	WLL t [t]
MagnumPlus 20000 2.5m	18	140	30	1.3	2.5	20000	20
MagnumPlus 20000 3m	18	140	30	1.3	3	20000	20
MagnumPlus 20000 4m	18	140	30	1.3	4	20000	20
MagnumPlus 20000 5m	18	140	30	1.3	5	20000	20
MagnumPlus 20000 6m	18	140	30	1.3	6	20000	20
MagnumPlus 20000 7m	18	140	30	1.3	7	20000	20
MagnumPlus 20000 8,0m	18	140	30	1.3	8	20000	20
MagnumPlus 30000 2.5m	19	165	30	1.3	2.5	30000	30
MagnumPlus 30000 3m	19	165	30	1.3	3	30000	30
MagnumPlus 30000 4m	19	165	30	1.3	4	30000	30
MagnumPlus 30000 5m	19	165	30	1.3	5	30000	30
MagnumPlus 30000 6m	19	165	30	1.3	6	30000	30
MagnumPlus 30000 7m	19	165	30	1.3	7	30000	30
MagnumPlus 30000 8m	19	165	30	1.3	8	30000	30
MagnumPlus 40000 3m	22	180	30	3	3	40000	40
MagnumPlus 40000 4m	22	180	30	3	4	40000	40
MagnumPlus 40000 5m	22	180	30	3	5	40000	40
MagnumPlus 40000 6m	22	180	30	3	6	40000	40
MagnumPlus 40000 7m	22	180	30	3	7	40000	40
MagnumPlus 40000 8m	22	180	30	3	8	40000	40



MagnumPlus

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Item Name short	Contact Thickness Under Load [mm]	Contact Width Under Load [mm]	Dimension L1 max [m]	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	WLL t [t]
MagnumPlus 40000 15m	22	180	30	3	15	40000	40
MagnumPlus 50000 4m	24	208	30	3	4	50000	50
MagnumPlus 50000 5m	24	208	30	3	5	50000	50
MagnumPlus 50000 6m	24	208	30	3	6	50000	50
MagnumPlus 50000 7m	24	208	30	3	7	50000	50
MagnumPlus 50000 8m	24	208	30	3	8	50000	50
MagnumPlus 25000 2.5m	25	153	30	1.3	2.5	25000	25
MagnumPlus 25000 3m	25	153	30	1.3	3	25000	25
MagnumPlus 25000 4m	25	153	30	1.3	4	25000	25
MagnumPlus 25000 5m	25	153	30	1.3	5	25000	25
MagnumPlus 25000 6m	25	153	30	1.3	6	25000	25
MagnumPlus 25000 7m	25	153	30	1.3	7	25000	25
MagnumPlus 25000 8m	25	153	30	1.3	8	25000	25
MagnumPlus 60000 4m	27	244	30	3	4	60000	60
MagnumPlus 60000 5m	27	244	30	3	5	60000	60
MagnumPlus 60000 6m	27	244	30	3	6	60000	60
MagnumPlus 60000 7m	27	244	30	3	7	60000	60
MagnumPlus 60000 8m	27	244	30	3	8	60000	60
MagnumPlus 80000 4,0m	47	279	30	3	4	80000	80
MagnumPlus 80000 5,0m	47	279	30	3	5	80000	80



MagnumPlus

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Item Name short	Contact Thickness Under Load [mm]	Contact Width Under Load [mm]	Dimension L1 max [m]	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	WLL t [t]
MagnumPlus 80000 6,0m	47	279	30	3	6	80000	80
MagnumPlus 80000 7,0m	47	279	30	3	7	80000	80
MagnumPlus 80000 8,0m	47	279	30	3	8	80000	80
MagnumPlus 100000 4,0m	49	294	30	3	4	100000	100
MagnumPlus 100000 5,0m	49	294	30	3	5	100000	100
MagnumPlus 100000 6,0m	49	294	30	3	6	100000	100
MagnumPlus 100000 7,0m	49	294	30	3	7	100000	100
MagnumPlus 100000 8,0m	49	294	30	3	8	100000	100

Item Name short	Weight Net [kg]	Weight per Meter [kg/m]
MagnumPlus 125000 10,0m	-	-
MagnumPlus 125000 15m	-	-
MagnumPlus 10000 2m	4.4	2.2
MagnumPlus 10000 2.5m	5.5	2.2
MagnumPlus 10000 3m	6.6	2.2
MagnumPlus 10000 4m	9.3	2.2
MagnumPlus 10000 5m	11.5	2.2
MagnumPlus 10000 6m	13.7	2.2
MagnumPlus 10000 7m	15.9	2.2
MagnumPlus 10000 8m	18.1	2.2
MagnumPlus 15000 2m	5.4	2.7
MagnumPlus 15000 2.5m	6.75	2.7
MagnumPlus 15000 3m	8.1	2.7
MagnumPlus 15000 4m	13.3	2.7
MagnumPlus 15000 5m	16.5	2.7
MagnumPlus 15000 6m	19.7	2.7
MagnumPlus 15000 7,0m	22.9	2.7



MagnumPlus

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Item Name short	Weight Net [kg]	Weight per Meter [kg/m]
MagnumPlus 15000 8m	26.1	2.7
MagnumPlus 20000 2m	8	4
MagnumPlus 20000 2.5m	10	4
MagnumPlus 20000 3m	12	4
MagnumPlus 20000 4m	18.1	4
MagnumPlus 20000 5m	22.5	4
MagnumPlus 20000 6m	26.9	4
MagnumPlus 20000 7m	31.3	4
MagnumPlus 20000 8,0m	35.7	4
MagnumPlus 30000 2.5m	16.25	6.5
MagnumPlus 30000 3m	19.5	6.5
MagnumPlus 30000 4m	30.1	6.5
MagnumPlus 30000 5m	37.5	6.5
MagnumPlus 30000 6m	44.9	6.5
MagnumPlus 30000 7m	52.3	6.5
MagnumPlus 30000 8m	59.7	6.5
MagnumPlus 40000 3m	29.1	9.7
MagnumPlus 40000 4m	40.5	9.7
MagnumPlus 40000 5m	50.5	9.7
MagnumPlus 40000 6m	60.5	9.7
MagnumPlus 40000 7m	70.5	9.7
MagnumPlus 40000 8m	80.5	9.7
MagnumPlus 40000 15m	-	9.7
MagnumPlus 50000 4m	52.5	12.5
MagnumPlus 50000 5m	65.5	12.5
MagnumPlus 50000 6m	78.5	12.5
MagnumPlus 50000 7m	91.5	12.5
MagnumPlus 50000 8m	104.5	12.5
MagnumPlus 25000 2.5m	12.5	5
MagnumPlus 25000 3m	15	5
MagnumPlus 25000 4m	22.9	5
MagnumPlus 25000 5m	28.5	5
MagnumPlus 25000 6m	34.1	5



MagnumPlus

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Item Name short	Weight Net [kg]	Weight per Meter [kg/m]
MagnumPlus 25000 7m	39.7	5
MagnumPlus 25000 8m	45.3	5
MagnumPlus 60000 4m	59.7	16.6
MagnumPlus 60000 5m	74.5	16.6
MagnumPlus 60000 6m	89.3	16.6
MagnumPlus 60000 7m	104.1	16.6
MagnumPlus 60000 8m	118.9	16.6
MagnumPlus 80000 4,0m	80.5	20.8
MagnumPlus 80000 5,0m	100.5	20.8
MagnumPlus 80000 6,0m	120.5	20.8
MagnumPlus 80000 7,0m	140.5	20.8
MagnumPlus 80000 8,0m	160.5	20.8
MagnumPlus 100000 4,0m	104.5	24.3
MagnumPlus 100000 5,0m	130.5	24.3
MagnumPlus 100000 6,0m	156.5	24.3
MagnumPlus 100000 7,0m	182.5	24.3
MagnumPlus 100000 8,0m	208.5	24.3

ORDER NUMBERS

Dimension L1	10000 kg	15000 kg	20000 kg	25000 kg	30000 kg	40000 kg	50000 kg	60000 kg	80000 kg	100000 kg	125000 kg
2	2020851	2027560	2023220	-	-	-	-	-	-	-	-
2.5	2020997	2020999	2021001	2021003	2021005	-	-	-	-	-	-
3	2020998	2021000	2021002	2021004	2021006	2021008	-	-	-	-	-
4	2002743	2002745	2002747	2002749	2002751	2002753	2002755	2002757	2002759	2002761	-
5	2002744	2002746	2002748	2002750	2002752	2002754	2002756	2002758	2002760	2002762	-
6	2003231	2003233	2003235	2003237	2003239	2003241	2003243	2003245	2003247	2003249	-
7	2003232	2003234	2003236	2003238	2003240	2003242	2003244	2003246	2003248	2003250	-
8	2003728	2003729	2003730	2003731	2003732	2003733	2003734	2003735	2003736	2003737	-
10	-	-	-	-	-	-	-	-	-	-	2017504
15	-	-	-	-	-	2020974	-	-	-	-	2024149

- Norms EN 1492-2: 2000
- Main Material Polyester
- Temperature Range - 40 bis + 100°C
- Safety Factor 7:1

SpanSet (UK) Limited
Telford Way Middlewich
Cheshire CW10 0HX
United Kingdom
Tel.: +44 (0) 1606
737494
info@spanset.co.uk
www.spanset.co.uk



MagnumPlus

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

SpanSet
Certified
Safety

■ Label Protection	Yes
■ Packaging Unit (PU)	pcs
■ Packaging Unit (PU) Content	1

1. WLL - working load limit, nominal load capacity. Applies to direct attachment type.
2. L1 - Nutzlänge.
3. Deviating from DIN EN 1492-2, the material in this round sling is suitable up to an operating temperature of +70°C.
4. In DIN EN 1492-2, HMPE is not listed as a material and material mixtures are not provided for.



MagnumPlus

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom