



PowerStar 2ply High-strength polyester flat sling with reinforced loops

EAN Code	Item Name short	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	WLL t [t]	Webbing Thickness [mm]
-	PowerStar 2-laags 1000 1m	Purple	1	1	1000	1	5.6
-	PowerStar 2-laags 2000 1m	Green	1	1	2000	2	5.6
-	PowerStar 2ply 020 2m	Olive	1	2	500	0.5	-
-	PowerStar 2ply 020 3m	Olive	1	3	500	0.5	-
-	PowerStar 2-laags 1000 6m	Purple	1	6	1000	1	5.6
-	PowerStar 2-laags 1000 8m	Purple	1	8	1000	1	5.6
-	PowerStar 2-laags 2000 8m	Green	1	8	2000	2	5.6
-	PowerStar 2ply 4000 2m	Grey	1.3	2	4000	4	6.2
-	PowerStar 2ply 4000 3m	Grey	1.3	3	4000	4	6.2
-	PowerStar 2ply 4000 4m	Grey	1.3	4	4000	4	6.2
-	PowerStar 2ply 4000 5m	Grey	1.3	5	4000	4	6.2
-	PowerStar 2ply 4000 6m	Grey	1.3	6	4000	4	6.2
-	PowerStar 2ply 3000 8m	Yellow	1.3	8	3000	3	6
-	PowerStar 2ply 4000 8m	Grey	1.3	8	4000	4	6.2
-	PowerStar 2ply 5000 2m	Red	1.5	2	5000	5	6.4
-	PowerStar 2ply 5000 3m	Red	1.5	3	5000	5	6.4
-	PowerStar 2ply 5000 4m	Red	1.5	4	5000	5	6.4
-	PowerStar 2ply 5000 5m	Red	1.5	5	5000	5	6.4
-	PowerStar 2ply 5000 6m	Red	1.5	6	5000	5	6.4
-	PowerStar 2ply 5000 8m	Red	1.5	8	5000	5	6.4



PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

EAN Code	Item Name short	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	WLL t [t]	Webbing Thickness [mm]
-	PowerStar 2ply 6000 2m	Brown	1.9	2	6000	6	7.6
-	PowerStar 2ply 6000 3m	Brown	1.9	3	6000	6	7.6
-	PowerStar 2ply 6000 4m	Brown	1.9	4	6000	6	7.6
-	PowerStar 2ply 6000 5m	Brown	1.9	5	6000	6	7.6
-	PowerStar 2ply 6000 6m	Brown	1.9	6	6000	6	7.6
-	PowerStar 2ply 6000 8m	Brown	1.9	8	6000	6	7.6
-	PowerStar 2ply 8000 3m	Blue	2.2	3	8000	8	7.6
-	PowerStar 2ply 8000 4m	Blue	2.2	4	8000	8	7.6
-	PowerStar 2ply 8000 5m	Blue	2.2	5	8000	8	7.6
-	PowerStar 2ply 8000 6m	Blue	2.2	6	8000	8	7.6
-	PowerStar 2ply 8000 8m	Blue	2.2	8	8000	8	7.6
-	PowerStar 2ply 10000 3m	Orange	2.6	3	10000	10	7.6
-	PowerStar 2ply 10000 4m	Orange	2.6	4	10000	10	7.6
-	PowerStar 2ply 10000 5m	Orange	2.6	5	10000	10	7.6
-	PowerStar 2ply 10000 6m	Orange	2.6	6	10000	10	7.6
-	PowerStar 2ply 10000 8m	Orange	2.6	8	10000	10	7.6
7610726101337	PowerStar 2-laags 1000 2m	Purple	1	2	1000	1	5.6
7610726101344	PowerStar 2-laags 1000 3m	Purple	1	3	1000	1	5.6
7610726101351	PowerStar 2-laags 1000 4m	Purple	1	4	1000	1	5.6
7610726101368	PowerStar 2-laags 1000 5m	Purple	1	5	1000	1	5.6
7610726101375	PowerStar 2-laags 2000 2m	Green	1	2	2000	2	5.6



PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

EAN Code	Item Name short	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	WLL t [t]	Webbing Thickness [mm]
7610726101382	PowerStar 2-laags 2000 3m	Green	1	3	2000	2	5.6
7610726101399	PowerStar 2-laags 2000 4m	Green	1	4	2000	2	5.6
7610726101405	PowerStar 2-laags 2000 5m	Green	1	5	2000	2	5.6
7610726101412	PowerStar 2-laags 2000 6m	Green	1	6	2000	2	5.6
7610726101443	PowerStar 2ply 3000 2m	Yellow	1.3	2	3000	3	6
7610726101450	PowerStar 2ply 3000 3m	Yellow	1.3	3	3000	3	6
7610726101467	PowerStar 2ply 3000 4m	Yellow	1.3	4	3000	3	6
7610726101474	PowerStar 2ply 3000 5m	Yellow	1.3	5	3000	3	6
7610726101481	PowerStar 2ply 3000 6m	Yellow	1.3	6	3000	3	6

EAN Code	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
-	30	0.4	0.3	0.2
-	60	-	0.6	0.4
-	25	0.3	0.303	0.203
-	25	0.51	0.100	0.203
-	30	1.4	0.3	0.2
-	30	1.8	0.3	0.2
-	60	3.6	0.6	0.4
-	120	2.8	1.4	0.8
-	120	3.6	1.4	0.8
-	120	4.4	1.4	0.8
-	120	5.2	1.4	0.8
-	120	6	1.4	0.8
-	90	5.6	1	0.6
-	120	7.6	1.4	0.8
-	150	3.4	1.7	1
-	150	4.4	1.7	1



PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

EAN Code	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
-	150	5.4	1.7	1
-	150	6.4	1.7	1
-	150	7.4	1.7	1
-	150	9.4	1.7	1
-	180	4.4	2.2	1.2
-	180	5.6	2.2	1.2
-	180	6.8	2.2	1.2
-	180	8	2.2	1.2
-	180	9.2	2.2	1.2
-	180	11.6	2.2	1.2
-	240	7.4	2.9	1.6
-	240	9	2.9	1.6
-	240	10.6	2.9	1.6
-	240	12.2	2.9	1.6
-	240	15.4	2.9	1.6
-	300	10.4	4.1	2.2
-	300	12.6	4.1	2.2
-	300	14.8	4.1	2.2
-	300	17	4.1	2.2
-	300	21.4	4.1	2.2
7610726101337	30	0.6	0.3	0.2
7610726101344	30	0.8	0.3	0.2
7610726101351	30	1	0.3	0.2
7610726101368	30	1.2	0.3	0.2
7610726101375	60	1.2	0.6	0.4
7610726101382	60	1.6	0.6	0.4
7610726101399	60	2	0.6	0.4
7610726101405	60	2.4	0.6	0.4
7610726101412	60	2.8	0.6	0.4
7610726101443	90	2	1	0.6
7610726101450	90	2.6	1	0.6
7610726101467	90	3.2	1	0.6
7610726101474	90	3.8	1	0.6



PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

EAN Code	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
7610726101481	90	4.4	1	0.6

ORDER NUMBERS

WLL kg	1 m	2 m	3 m	4 m	5 m	6 m	8 m
500	-	2016614	2016615	-	-	-	-
1000	2015118	2002956	2003410	2003411	2003893	2003894	2003895
2000	2027130	2002958	2003414	2003415	2003899	2003900	2003901
3000	-	2002959	2003416	2003417	2003902	2003903	2003904
4000	-	2002960	2003418	2003419	2003905	2003906	2003907
5000	-	2002961	2003420	2003421	2003908	2003909	2003910
6000	-	2002962	2003422	2003423	2003911	2003912	2003913
8000	-	-	2002963	2003424	2003425	2003914	2003915
10000	-	-	2002964	2003426	2003427	2003916	2003917

■ Norms	EN 1492-1: 2000
■ Belt Layers	2
■ Main Material	Polyester
■ Temperature Range	-40° C to + 100° C
■ Safety Factor	7:1
■ Label Protection	Yes
■ Packaging Unit (PU)	pcs
■ Packaging Unit (PU) Content	1



PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom