



### PowerStar 2ply High-strength polyester flat sling with reinforced loops

Label	EAN Code	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
PowerStar 2ply 1000 1m	-	Purple	1	1	1000	30	0.4	0.3	0.2
PowerStar 2ply 1000 7610726101337 2m	7610726101337	Purple	1	2	1000	30	0.6	0.3	0.2
PowerStar 2ply 1000 7610726101344 3m	7610726101344	Purple	1	3	1000	30	0.8	0.3	0.2
PowerStar 2ply 1000 7610726101351 4m	7610726101351	Purple	1	4	1000	30	1	0.3	0.2
PowerStar 2ply 1000 7610726101368 5m	7610726101368	Purple	1	5	1000	30	1.2	0.3	0.2
PowerStar 2ply 1000 6m	-	Purple	1	6	1000	30	1.4	0.3	0.2
PowerStar 2ply 1000 8m	-	Purple	1	8	1000	30	1.8	0.3	0.2
PowerStar 2ply 020 3m	-	Olive	1	3	500	25	0.51	0.100	0.203
PowerStar 2ply 020 2m	-	Olive	1	2	500	25	0.3	0.303	0.203
PowerStar 2ply 2000 1m	-	Green	1	1	2000	60	-	0.6	0.4
PowerStar 2ply 2000 7610726101375 2m	7610726101375	Green	1	2	2000	60	1.2	0.6	0.4
PowerStar 2ply 2000 7610726101382 3m	7610726101382	Green	1	3	2000	60	1.6	0.6	0.4
PowerStar 2ply 2000 7610726101399 4m	7610726101399	Green	1	4	2000	60	2	0.6	0.4
PowerStar 2ply 2000 7610726101405 5m	7610726101405	Green	1	5	2000	60	2.4	0.6	0.4



### PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Label	EAN Code	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
PowerStar 2ply 2000 6m	7610726101412	Green	1	6	2000	60	2.8	0.6	0.4
PowerStar 2ply 2000 8m	-	Green	1	8	2000	60	3.6	0.6	0.4
PowerStar 2ply 3000 2m	7610726101443	Yellow	1.3	2	3000	90	2	1	0.6
PowerStar 2ply 3000 3m	7610726101450	Yellow	1.3	3	3000	90	2.6	1	0.6
PowerStar 2ply 3000 4m	7610726101467	Yellow	1.3	4	3000	90	3.2	1	0.6
PowerStar 2ply 3000 5m	7610726101474	Yellow	1.3	5	3000	90	3.8	1	0.6
PowerStar 2ply 3000 6m	7610726101481	Yellow	1.3	6	3000	90	4.4	1	0.6
PowerStar 2ply 3000 8m	-	Yellow	1.3	8	3000	90	5.6	1	0.6
PowerStar 2ply 4000 2m	-	Grey	1.3	2	4000	120	2.8	1.4	0.8
PowerStar 2ply 4000 3m	-	Grey	1.3	3	4000	120	3.6	1.4	0.8
PowerStar 2ply 4000 4m	-	Grey	1.3	4	4000	120	4.4	1.4	0.8
PowerStar 2ply 4000 5m	-	Grey	1.3	5	4000	120	5.2	1.4	0.8
PowerStar 2ply 4000 6m	-	Grey	1.3	6	4000	120	6	1.4	0.8
PowerStar 2ply 4000 8m	-	Grey	1.3	8	4000	120	7.6	1.4	0.8
PowerStar 2ply 5000 2m	-	Red	1.5	2	5000	150	3.4	1.7	1



## PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Label	EAN Code	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
PowerStar 2ply 5000 3m	-	Red	1.5	3	5000	150	4.4	1.7	1
PowerStar 2ply 5000 4m	-	Red	1.5	4	5000	150	5.4	1.7	1
PowerStar 2ply 5000 5m	-	Red	1.5	5	5000	150	6.4	1.7	1
PowerStar 2ply 5000 6m	-	Red	1.5	6	5000	150	7.4	1.7	1
PowerStar 2ply 5000 8m	-	Red	1.5	8	5000	150	9.4	1.7	1
PowerStar 2ply 6000 2m	-	Brown	1.9	2	6000	180	4.4	2.2	1.2
PowerStar 2ply 6000 3m	-	Brown	1.9	3	6000	180	5.6	2.2	1.2
PowerStar 2ply 6000 4m	-	Brown	1.9	4	6000	180	6.8	2.2	1.2
PowerStar 2ply 6000 5m	-	Brown	1.9	5	6000	180	8	2.2	1.2
PowerStar 2ply 6000 6m	-	Brown	1.9	6	6000	180	9.2	2.2	1.2
PowerStar 2ply 6000 8m	-	Brown	1.9	8	6000	180	11.6	2.2	1.2
PowerStar 2ply 8000 3m	-	Blue	2.2	3	8000	240	7.4	2.9	1.6
PowerStar 2ply 8000 4m	-	Blue	2.2	4	8000	240	9	2.9	1.6
PowerStar 2ply 8000 5m	-	Blue	2.2	5	8000	240	10.6	2.9	1.6
PowerStar 2ply 8000 6m	-	Blue	2.2	6	8000	240	12.2	2.9	1.6



## PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Label	EAN Code	Colour	Dimension L1 min [m]	Dimension L1 [m]	WLL kg [kg]	Webbing Width B [mm]	Weight Net [kg]	Weight for 1m [kg]	Weight per Meter [kg/m]
PowerStar 2ply 8000 8m	-	Blue	2.2	8	8000	240	15.4	2.9	1.6
PowerStar 2ply 10000 3m	-	Orange	2.6	3	10000	300	10.4	4.1	2.2
PowerStar 2ply 10000 4m	-	Orange	2.6	4	10000	300	12.6	4.1	2.2
PowerStar 2ply 10000 5m	-	Orange	2.6	5	10000	300	14.8	4.1	2.2
PowerStar 2ply 10000 6m	-	Orange	2.6	6	10000	300	17	4.1	2.2
PowerStar 2ply 10000 8m	-	Orange	2.6	8	10000	300	21.4	4.1	2.2

### ORDER NUMBERS

WLL kg	1 m	2 m	3 m	4 m	5 m	6 m	8 m
500	-	2016614	2016615	-	-	-	-
1000	2015118	2002956	2003410	2003411	2003893	2003894	2003895
2000	2027130	2002958	2003414	2003415	2003899	2003900	2003901
3000	-	2002959	2003416	2003417	2003902	2003903	2003904
4000	-	2002960	2003418	2003419	2003905	2003906	2003907
5000	-	2002961	2003420	2003421	2003908	2003909	2003910
6000	-	2002962	2003422	2003423	2003911	2003912	2003913
8000	-	-	2002963	2003424	2003425	2003914	2003915
10000	-	-	2002964	2003426	2003427	2003916	2003917

■ Norms	EN 1492-1: 2000
■ Belt Layers	2
■ Main Material	Polyester
■ Temperature Range	-40° C to + 100° C
■ Safety Factor	7:1
■ Label Protection	Yes
■ Packaging Unit (PU)	pcs
■ Packaging Unit (PU) Content	1



## PowerStar 2ply

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom