



### Secutex - SF1 single-sided Protective sleeve with single-sided coating

| Item Name short   | For Lifting Equipment  | Length [m] | WLL kg [kg] | WLL t [t] | Weight per Meter [kg/m] |
|-------------------|------------------------|------------|-------------|-----------|-------------------------|
| SF1-30 0.5m       | PowerStar / Webtex     | 0.5        | 1000        | 1         | 0.6                     |
| SF1 50/3 0.5m     | SupraPlus / MagnumPlus | 0.5        | 1000        | 1         | 0.9                     |
| SF1-60 0.5m       | PowerStar / Webtex     | 0.5        | 2000        | 2         | 1                       |
| SF1 65/3 0.5m     | SupraPlus / MagnumPlus | 0.5        | 2000        | 2         | 1.1                     |
| SF1 75/3 0.5m     | SupraPlus / MagnumPlus | 0.5        | 3000        | 3         | 1.3                     |
| SF1-90 0.5m       | PowerStar / Webtex     | 0.5        | 3000        | 3         | 1.5                     |
| SF1 100/3 0.5m    | SupraPlus / MagnumPlus | 0.5        | 4000        | 4         | 1.5                     |
| SF1-120 0.5m      | PowerStar / Webtex     | 0.5        | 4000        | 4         | 2                       |
| SF1-150 0.5m      | PowerStar / Webtex     | 0.5        | 5000        | 5         | 2.3                     |
| SF1 125/3 0.5m    | SupraPlus / MagnumPlus | 0.5        | 6000        | 6         | 1.9                     |
| SF1-180 0.5m      | PowerStar / Webtex     | 0.5        | 6000        | 6         | 2.9                     |
| SF1 150/3 0.5m    | SupraPlus / MagnumPlus | 0.5        | 8000        | 8         | 2.1                     |
| SF1 200-20/3 0.5m | SupraPlus / MagnumPlus | 0.5        | 10000       | 10        | 2.4                     |
| SF1-300 0.5m      | PowerStar / Webtex     | 0.5        | 10000       | 10        | 4.6                     |
| SF1 250-25/3 0.5m | SupraPlus / MagnumPlus | 0.5        | 15000       | 15        | 4.6                     |
| SF1 300-30/3 0.5m | SupraPlus / MagnumPlus | 0.5        | 20000       | 20        | 3.7                     |
| SF1 300-35/3 0.5m | SupraPlus / MagnumPlus | 0.5        | 25000       | 25        | 4                       |
| SF1-30 1m         | PowerStar / Webtex     | 1          | 1000        | 1         | 0.6                     |
| SF1 50/3 1m       | SupraPlus / MagnumPlus | 1          | 1000        | 1         | 0.9                     |
| SF1-60 1m         | PowerStar / Webtex     | 1          | 2000        | 2         | 1                       |
| SF1 65/3 1m       | SupraPlus / MagnumPlus | 1          | 2000        | 2         | 1.1                     |
| SF1 75/3 1m       | SupraPlus / MagnumPlus | 1          | 3000        | 3         | 1.3                     |
| SF1-90 1m         | PowerStar / Webtex     | 1          | 3000        | 3         | 1.5                     |
| SF1 100/3 1m      | SupraPlus / MagnumPlus | 1          | 4000        | 4         | 1.5                     |
| SF1-120 1m        | PowerStar / Webtex     | 1          | 4000        | 4         | 2                       |
| SF1-150 1m        | PowerStar / Webtex     | 1          | 5000        | 5         | 2.3                     |
| SF1-150 2m        | PowerStar / Webtex     | 1          | 5000        | 5         | 2.3                     |
| SF1 125/3 1m      | SupraPlus / MagnumPlus | 1          | 6000        | 6         | 1.9                     |
| SF1-180 1m        | PowerStar / Webtex     | 1          | 6000        | 6         | 2.9                     |
| SF1 150/3 1m      | SupraPlus / MagnumPlus | 1          | 8000        | 8         | 2.1                     |
| SF1-240 1m        | PowerStar / Webtex     | 1          | 8000        | 8         | 3.7                     |
| SF1 200-20/3 1m   | SupraPlus / MagnumPlus | 1          | 10000       | 10        | 2.4                     |
| SF1-300 1m        | PowerStar / Webtex     | 1          | 10000       | 10        | 4.6                     |



### SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

| Item Name short   | For Lifting Equipment  | Length [m] | WLL kg [kg] | WLL t [t] | Weight per Meter [kg/m] |
|-------------------|------------------------|------------|-------------|-----------|-------------------------|
| SF1-300 2m        | PowerStar / Webtex     | 1          | 10000       | 10        | 4.6                     |
| SF1 250-25/3 1m   | SupraPlus / MagnumPlus | 1          | 15000       | 15        | 4.6                     |
| SF1 300-30/3 1m   | SupraPlus / MagnumPlus | 1          | 20000       | 20        | 3.7                     |
| SF1 300-35/3 1m   | SupraPlus / MagnumPlus | 1          | 25000       | 25        | 4                       |
| SF1 300-40/3 1m   | SupraPlus / MagnumPlus | 1          | 30000       | 30        | 4.6                     |
| SF1 350-50/3 1m   | SupraPlus / MagnumPlus | 1          | 40000       | 40        | 4.9                     |
| SF1-30 1.5m       | PowerStar / Webtex     | 1.5        | 1000        | 1         | 0.6                     |
| SF1 50/3 1.5m     | SupraPlus / MagnumPlus | 1.5        | 1000        | 1         | 0.9                     |
| SF1-60 1.5m       | PowerStar / Webtex     | 1.5        | 2000        | 2         | 1                       |
| SF1 65/3 1.5m     | SupraPlus / MagnumPlus | 1.5        | 2000        | 2         | 1.1                     |
| SF1 75/3 1.5m     | SupraPlus / MagnumPlus | 1.5        | 3000        | 3         | 1.3                     |
| SF1-90 1.5m       | PowerStar / Webtex     | 1.5        | 3000        | 3         | 1.5                     |
| SF1 100/3 1.5m    | SupraPlus / MagnumPlus | 1.5        | 4000        | 4         | 1.5                     |
| SF1-120 1.5m      | PowerStar / Webtex     | 1.5        | 4000        | 4         | 2                       |
| SF1-150 1.5m      | PowerStar / Webtex     | 1.5        | 5000        | 5         | 2.3                     |
| SF1 125/3 1.5m    | SupraPlus / MagnumPlus | 1.5        | 6000        | 6         | 1.9                     |
| SF1-180 1.5m      | PowerStar / Webtex     | 1.5        | 6000        | 6         | 2.9                     |
| SF1 150/3 1.5m    | SupraPlus / MagnumPlus | 1.5        | 8000        | 8         | 2.1                     |
| SF1-240 1.5m      | PowerStar / Webtex     | 1.5        | 8000        | 8         | 3.7                     |
| SF1 200-20/3 1.5m | SupraPlus / MagnumPlus | 1.5        | 10000       | 10        | 2.4                     |
| SF1-300 1.5m      | PowerStar / Webtex     | 1.5        | 10000       | 10        | 4.6                     |
| SF1 250-25/3 1.5m | SupraPlus / MagnumPlus | 1.5        | 15000       | 15        | 4.6                     |
| SF1 300-30/3 1.5m | SupraPlus / MagnumPlus | 1.5        | 20000       | 20        | 3.7                     |
| SF1 300-35/3 1.5m | SupraPlus / MagnumPlus | 1.5        | 25000       | 25        | 4                       |
| SF1 300-40/3 1.5m | SupraPlus / MagnumPlus | 1.5        | 30000       | 30        | 4.6                     |
| SF1-30 2m         | PowerStar / Webtex     | 2          | 1000        | 1         | 0.6                     |
| SF1 50/3 2m       | SupraPlus / MagnumPlus | 2          | 1000        | 1         | 0.9                     |
| SF1-60 2m         | PowerStar / Webtex     | 2          | 2000        | 2         | 1                       |
| SF1 65/3 2m       | SupraPlus / MagnumPlus | 2          | 2000        | 2         | 1.1                     |
| SF1 75/3 2m       | SupraPlus / MagnumPlus | 2          | 3000        | 3         | 1.3                     |
| SF1-90 2m         | PowerStar / Webtex     | 2          | 3000        | 3         | 1.5                     |
| SF1 100/3 2m      | SupraPlus / MagnumPlus | 2          | 4000        | 4         | 1.5                     |
| SF1-120 2m        | PowerStar / Webtex     | 2          | 4000        | 4         | 2                       |
| SF1 125/3 2m      | SupraPlus / MagnumPlus | 2          | 6000        | 6         | 1.9                     |



### SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

| Item Name short | For Lifting Equipment  | Length [m] | WLL kg [kg] | WLL t [t] | Weight per Meter [kg/m] |
|-----------------|------------------------|------------|-------------|-----------|-------------------------|
| SF1-180 2m      | PowerStar / Webtex     | 2          | 6000        | 6         | 2.9                     |
| SF1 150/3 2m    | SupraPlus / MagnumPlus | 2          | 8000        | 8         | 2.1                     |
| SF1-240 2m      | PowerStar / Webtex     | 2          | 8000        | 8         | 3.7                     |
| SF1 200-20/3 2m | SupraPlus / MagnumPlus | 2          | 10000       | 10        | 2.4                     |
| SF1 250-25/3 2m | SupraPlus / MagnumPlus | 2          | 15000       | 15        | 4.6                     |
| SF1 300-30/3 2m | SupraPlus / MagnumPlus | 2          | 20000       | 20        | 3.7                     |
| SF1 300-35/3 2m | SupraPlus / MagnumPlus | 2          | 25000       | 25        | 4                       |
| SF1 300-40/3 2m | SupraPlus / MagnumPlus | 2          | 30000       | 30        | 4.6                     |
| SF1 350-50/3 2m | SupraPlus / MagnumPlus | 2          | 40000       | 40        | 4.9                     |



### SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

### ORDER NUMBERS

| WLL kg | Width Outside | Length | 1227    | 1228            |
|--------|---------------|--------|---------|-----------------|
| 1000   | 55            | 0.5    | -       | 2027561         |
| 1000   | 55            | 1      | -       | 2015311         |
| 1000   | 55            | 1.5    | -       | 2027562         |
| 1000   | 55            | 2      | -       | 2027563         |
| 1000   | 70            | 0.5    | 2027585 | -               |
| 1000   | 70            | 1      | 2015303 | -               |
| 1000   | 70            | 1.5    | 2027586 | -               |
| 1000   | 70            | 2      | 2027587 | -               |
| 2000   | 80            | 0.5    | 2027588 | -               |
| 2000   | 80            | 1      | 2015306 | -               |
| 2000   | 80            | 1.5    | 2027589 | -               |
| 2000   | 80            | 2      | 2027590 | -               |
| 2000   | 85            | 0.5    | -       | 2027564         |
| 2000   | 85            | 1      | -       | 2015314         |
| 2000   | 85            | 1.5    | -       | 2027565         |
| 2000   | 85            | 2      | -       | 2027566         |
| 3000   | 95            | 0.5    | 2027591 | -               |
| 3000   | 95            | 1      | 2015307 | -               |
| 3000   | 95            | 1.5    | 2027592 | -               |
| 3000   | 95            | 2      | 2027593 | -               |
| 3000   | 115           | 0.5    | -       | 2027567         |
| 3000   | 115           | 1      | -       | 2015317         |
| 3000   | 115           | 1.5    | -       | 2027568         |
| 3000   | 115           | 2      | -       | 2027569         |
| 4000   | 125           | 0.5    | 2027594 | -               |
| 4000   | 125           | 1      | 2015308 | -               |
| 4000   | 125           | 1.5    | 2027595 | -               |
| 4000   | 125           | 2      | 2027596 | -               |
| 4000   | 145           | 0.5    | -       | 2027570         |
| 4000   | 145           | 1      | -       | 2015319         |
| 4000   | 145           | 1.5    | -       | 2027571         |
| 4000   | 145           | 2      | -       | 2027572         |
| 5000   | 175           | 0.5    | -       | 2027573         |
| 5000   | 175           | 1      | -       | 2015321,2027575 |
| 5000   | 175           | 1.5    | -       | 2027574         |



### SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

| WLL kg | Width Outside | Length | 1227    | 1228            |
|--------|---------------|--------|---------|-----------------|
| 6000   | 110           | 0.5    | 2027597 | -               |
| 6000   | 110           | 1      | 2015309 | -               |
| 6000   | 110           | 1.5    | 2027598 | -               |
| 6000   | 110           | 2      | 2027599 | -               |
| 6000   | 210           | 0.5    | -       | 2027576         |
| 6000   | 210           | 1      | -       | 2015322         |
| 6000   | 210           | 1.5    | -       | 2027577         |
| 6000   | 210           | 2      | -       | 2027578         |
| 8000   | 145           | 0.5    | 2027600 | -               |
| 8000   | 145           | 1      | 2015310 | -               |
| 8000   | 145           | 1.5    | 2027601 | -               |
| 8000   | 145           | 2      | 2027602 | -               |
| 8000   | 270           | 1      | -       | 2015323         |
| 8000   | 270           | 1.5    | -       | 2027580         |
| 8000   | 270           | 2      | -       | 2027581         |
| 10000  | 165           | 0.5    | 2028466 | -               |
| 10000  | 165           | 1      | 2015312 | -               |
| 10000  | 165           | 1.5    | 2028467 | -               |
| 10000  | 165           | 2      | 2028468 | -               |
| 10000  | 340           | 0.5    | -       | 2027582         |
| 10000  | 340           | 1      | -       | 2015324,2027584 |
| 10000  | 340           | 1.5    | -       | 2027583         |
| 15000  | 210           | 0.5    | 2028469 | -               |
| 15000  | 210           | 1      | 2015313 | -               |
| 15000  | 210           | 1.5    | 2028470 | -               |
| 15000  | 210           | 2      | 2028471 | -               |
| 20000  | 265           | 0.5    | 2028529 | -               |
| 20000  | 265           | 1      | 2015315 | -               |
| 20000  | 265           | 1.5    | 2028530 | -               |
| 20000  | 265           | 2      | 2028531 | -               |
| 25000  | 265           | 1      | 2015316 | -               |
| 25000  | 275           | 0.5    | 2028532 | -               |
| 25000  | 275           | 1.5    | 2028533 | -               |
| 25000  | 275           | 2      | 2028534 | -               |
| 30000  | 340           | 1      | 2015318 | -               |



### SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

| WLL kg | Width Outside | Length | 1227    | 1228 |
|--------|---------------|--------|---------|------|
| 30000  | 340           | 1.5    | 2028536 | -    |
| 30000  | 340           | 2      | 2028537 | -    |
| 40000  | 365           | 1      | 2015320 | -    |
| 40000  | 365           | 2      | 2028540 | -    |



### SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom