



Secutex - SF1 single-sided Protective sleeve with single-sided coating

Item Name short	For Lifting Equipment	Length [m]	WLL kg [kg]	WLL t [t]	Weight per Meter [kg/m]
SF1-30 0.5m	PowerStar / Webtex	0.5	1000	1	0.6
SF1 50/3 0.5m	SupraPlus / MagnumPlus	0.5	1000	1	0.9
SF1-60 0.5m	PowerStar / Webtex	0.5	2000	2	1
SF1 65/3 0.5m	SupraPlus / MagnumPlus	0.5	2000	2	1.1
SF1 75/3 0.5m	SupraPlus / MagnumPlus	0.5	3000	3	1.3
SF1-90 0.5m	PowerStar / Webtex	0.5	3000	3	1.5
SF1 100/3 0.5m	SupraPlus / MagnumPlus	0.5	4000	4	1.5
SF1-120 0.5m	PowerStar / Webtex	0.5	4000	4	2
SF1-150 0.5m	PowerStar / Webtex	0.5	5000	5	2.3
SF1 125/3 0.5m	SupraPlus / MagnumPlus	0.5	6000	6	1.9
SF1-180 0.5m	PowerStar / Webtex	0.5	6000	6	2.9
SF1 150/3 0.5m	SupraPlus / MagnumPlus	0.5	8000	8	2.1
SF1 200-20/3 0.5m	SupraPlus / MagnumPlus	0.5	10000	10	2.4
SF1-300 0.5m	PowerStar / Webtex	0.5	10000	10	4.6
SF1 250-25/3 0.5m	SupraPlus / MagnumPlus	0.5	15000	15	4.6
SF1 300-30/3 0.5m	SupraPlus / MagnumPlus	0.5	20000	20	3.7
SF1 300-35/3 0.5m	SupraPlus / MagnumPlus	0.5	25000	25	4
SF1-30 1m	PowerStar / Webtex	1	1000	1	0.6
SF1 50/3 1m	SupraPlus / MagnumPlus	1	1000	1	0.9
SF1-60 1m	PowerStar / Webtex	1	2000	2	1
SF1 65/3 1m	SupraPlus / MagnumPlus	1	2000	2	1.1
SF1 75/3 1m	SupraPlus / MagnumPlus	1	3000	3	1.3
SF1-90 1m	PowerStar / Webtex	1	3000	3	1.5
SF1 100/3 1m	SupraPlus / MagnumPlus	1	4000	4	1.5
SF1-120 1m	PowerStar / Webtex	1	4000	4	2
SF1-150 1m	PowerStar / Webtex	1	5000	5	2.3
SF1-150 2m	PowerStar / Webtex	1	5000	5	2.3
SF1 125/3 1m	SupraPlus / MagnumPlus	1	6000	6	1.9
SF1-180 1m	PowerStar / Webtex	1	6000	6	2.9
SF1 150/3 1m	SupraPlus / MagnumPlus	1	8000	8	2.1
SF1-240 1m	PowerStar / Webtex	1	8000	8	3.7
SF1 200-20/3 1m	SupraPlus / MagnumPlus	1	10000	10	2.4
SF1-300 1m	PowerStar / Webtex	1	10000	10	4.6



SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Item Name short	For Lifting Equipment	Length [m]	WLL kg [kg]	WLL t [t]	Weight per Meter [kg/m]
SF1-300 2m	PowerStar / Webtex	1	10000	10	4.6
SF1 250-25/3 1m	SupraPlus / MagnumPlus	1	15000	15	4.6
SF1 300-30/3 1m	SupraPlus / MagnumPlus	1	20000	20	3.7
SF1 300-35/3 1m	SupraPlus / MagnumPlus	1	25000	25	4
SF1 300-40/3 1m	SupraPlus / MagnumPlus	1	30000	30	4.6
SF1 350-50/3 1m	SupraPlus / MagnumPlus	1	40000	40	4.9
SF1-30 1.5m	PowerStar / Webtex	1.5	1000	1	0.6
SF1 50/3 1.5m	SupraPlus / MagnumPlus	1.5	1000	1	0.9
SF1-60 1.5m	PowerStar / Webtex	1.5	2000	2	1
SF1 65/3 1.5m	SupraPlus / MagnumPlus	1.5	2000	2	1.1
SF1 75/3 1.5m	SupraPlus / MagnumPlus	1.5	3000	3	1.3
SF1-90 1.5m	PowerStar / Webtex	1.5	3000	3	1.5
SF1 100/3 1.5m	SupraPlus / MagnumPlus	1.5	4000	4	1.5
SF1-120 1.5m	PowerStar / Webtex	1.5	4000	4	2
SF1-150 1.5m	PowerStar / Webtex	1.5	5000	5	2.3
SF1 125/3 1.5m	SupraPlus / MagnumPlus	1.5	6000	6	1.9
SF1-180 1.5m	PowerStar / Webtex	1.5	6000	6	2.9
SF1 150/3 1.5m	SupraPlus / MagnumPlus	1.5	8000	8	2.1
SF1-240 1.5m	PowerStar / Webtex	1.5	8000	8	3.7
SF1 200-20/3 1.5m	SupraPlus / MagnumPlus	1.5	10000	10	2.4
SF1-300 1.5m	PowerStar / Webtex	1.5	10000	10	4.6
SF1 250-25/3 1.5m	SupraPlus / MagnumPlus	1.5	15000	15	4.6
SF1 300-30/3 1.5m	SupraPlus / MagnumPlus	1.5	20000	20	3.7
SF1 300-35/3 1.5m	SupraPlus / MagnumPlus	1.5	25000	25	4
SF1 300-40/3 1.5m	SupraPlus / MagnumPlus	1.5	30000	30	4.6
SF1-30 2m	PowerStar / Webtex	2	1000	1	0.6
SF1 50/3 2m	SupraPlus / MagnumPlus	2	1000	1	0.9
SF1-60 2m	PowerStar / Webtex	2	2000	2	1
SF1 65/3 2m	SupraPlus / MagnumPlus	2	2000	2	1.1
SF1 75/3 2m	SupraPlus / MagnumPlus	2	3000	3	1.3
SF1-90 2m	PowerStar / Webtex	2	3000	3	1.5
SF1 100/3 2m	SupraPlus / MagnumPlus	2	4000	4	1.5
SF1-120 2m	PowerStar / Webtex	2	4000	4	2
SF1 125/3 2m	SupraPlus / MagnumPlus	2	6000	6	1.9



SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

Item Name short	For Lifting Equipment	Length [m]	WLL kg [kg]	WLL t [t]	Weight per Meter [kg/m]
SF1-180 2m	PowerStar / Webtex	2	6000	6	2.9
SF1 150/3 2m	SupraPlus / MagnumPlus	2	8000	8	2.1
SF1-240 2m	PowerStar / Webtex	2	8000	8	3.7
SF1 200-20/3 2m	SupraPlus / MagnumPlus	2	10000	10	2.4
SF1 250-25/3 2m	SupraPlus / MagnumPlus	2	15000	15	4.6
SF1 300-30/3 2m	SupraPlus / MagnumPlus	2	20000	20	3.7
SF1 300-35/3 2m	SupraPlus / MagnumPlus	2	25000	25	4
SF1 300-40/3 2m	SupraPlus / MagnumPlus	2	30000	30	4.6
SF1 350-50/3 2m	SupraPlus / MagnumPlus	2	40000	40	4.9



SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

ORDER NUMBERS

WLL kg	Width Outside	Length	1227	1228
1000	55	0.5	-	2027561
1000	55	1	-	2015311
1000	55	1.5	-	2027562
1000	55	2	-	2027563
1000	70	0.5	2027585	-
1000	70	1	2015303	-
1000	70	1.5	2027586	-
1000	70	2	2027587	-
2000	80	0.5	2027588	-
2000	80	1	2015306	-
2000	80	1.5	2027589	-
2000	80	2	2027590	-
2000	85	0.5	-	2027564
2000	85	1	-	2015314
2000	85	1.5	-	2027565
2000	85	2	-	2027566
3000	95	0.5	2027591	-
3000	95	1	2015307	-
3000	95	1.5	2027592	-
3000	95	2	2027593	-
3000	115	0.5	-	2027567
3000	115	1	-	2015317
3000	115	1.5	-	2027568
3000	115	2	-	2027569
4000	125	0.5	2027594	-
4000	125	1	2015308	-
4000	125	1.5	2027595	-
4000	125	2	2027596	-
4000	145	0.5	-	2027570
4000	145	1	-	2015319
4000	145	1.5	-	2027571
4000	145	2	-	2027572
5000	175	0.5	-	2027573
5000	175	1	-	2015321,2027575
5000	175	1.5	-	2027574



SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

WLL kg	Width Outside	Length	1227	1228
6000	110	0.5	2027597	-
6000	110	1	2015309	-
6000	110	1.5	2027598	-
6000	110	2	2027599	-
6000	210	0.5	-	2027576
6000	210	1	-	2015322
6000	210	1.5	-	2027577
6000	210	2	-	2027578
8000	145	0.5	2027600	-
8000	145	1	2015310	-
8000	145	1.5	2027601	-
8000	145	2	2027602	-
8000	270	1	-	2015323
8000	270	1.5	-	2027580
8000	270	2	-	2027581
10000	165	0.5	2028466	-
10000	165	1	2015312	-
10000	165	1.5	2028467	-
10000	165	2	2028468	-
10000	340	0.5	-	2027582
10000	340	1	-	2015324,2027584
10000	340	1.5	-	2027583
15000	210	0.5	2028469	-
15000	210	1	2015313	-
15000	210	1.5	2028470	-
15000	210	2	2028471	-
20000	265	0.5	2028529	-
20000	265	1	2015315	-
20000	265	1.5	2028530	-
20000	265	2	2028531	-
25000	265	1	2015316	-
25000	275	0.5	2028532	-
25000	275	1.5	2028533	-
25000	275	2	2028534	-
30000	340	1	2015318	-



SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom

WLL kg	Width Outside	Length	1227	1228
30000	340	1.5	2028536	-
30000	340	2	2028537	-
40000	365	1	2015320	-
40000	365	2	2028540	-



SF 1

Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet (UK) Limited - United Kingdom